



GUJARAT INDUSTRIES POWER COMPANY LIMITED

(SURAT LIGNITE POWER PLANT)

At. Nani Naroli, Ta. Mangrol, Dist. Surat - 394 112

Phone : EPABX (02629) 261063 to 261072 Fax : (02629) 261080 E-mail : genslpp@gipcl.com
Through Courier

SLPP/Vastan Mines/Environment Return/2019/2519

Date - 07.08.2019

To,
The Regional Officer,
Gujarat Pollution Control Board,
338, Belgium square,
Opp. Linear Bus Stand, Surat.

Sub :- MOEF's EC compliance & other compliance reports with respect to Vastan Lime Stone Mine, GIPCL, Vastan Village, Taluka - Mangrol, District - Surat, Gujarat for the period from January 2019 to June 2019
Ref :- Environmental Clearance accorded vide letter no F No. J - 11015/112/2011-IA.II (M) date 22nd July'2015

Dear Sir,

Please find enclosed herewith following details With respect to Vastan Lime Stone Mine, Vastan Village, Mangrol Taluka, Surat District, Gujarat for the period **January'2019 to June'2019**

- (1) Environment Clearance (EC) compliance report.
- (2) Data sheet Part-I, Six monthly report monitoring of the implementation of Env. Safeguard
- (3) Environmental Monitoring and analysis report (Half yearly report)
- (4) Peizometer Reading for the period January'2019 to June'2019

This is for your kind information.

Thanking you,


For Gujarat Industries Power Co. Ltd.


N K CHAUHAN
AGM (mines)

Encl :-

1. EC compliance report for the period from Jan 2019 to June 2019 as **ANNEXURE- A** with enclosure **ANNEXURE - A(I) , ANNEXURE -A(II) & ANNEXURE - A(III)**
2. Six monthly report Monitoring of the implementation of Env. Safeguard (Data Sheet Part - I). as **Annexure - B with enclosure ANNEXURE - I & ANNEXURE - II**
3. Environmental Monitoring and analysis Report for period January' 2019 to June' 2019. **ANNEXURE - C**
4. Peizometer Reading for the period January'2019 to June'2019 **ANNEXURE-D**

Registered Office & Vadodara Plant :
P.O.Petrochemical, Dist. Vadodara 391 346 Gujarat - INDIA



Phone : EPABX (0265) 2230182 / 2230028 / 2232768
Fax : 2230029 **E-mail :** genbaroda@gipcl.com

Website : www.gipcl.com
CIN No.: L99999GJ1985PLC007868



GUJARAT INDUSTRIES POWER COMPANY LIMITED

(SURAT LIGNITE POWER PLANT)

At. Nani Naroli, Ta. Mangrol, Dist. Surat - 394 112

Phone : EPABX (02629) 261063 to 261072 Fax : (02629) 261080 E-mail : genslpp@gipcl.com
Through Courier

SLPP/Vastan Mines/Environment Return/2019/2519

Date 07.08.2019

To,
The Additional Principal Chief Conservator of Forests (C),
Ministry of Environment, Forest and Climate Change,
Regional Office (WZ), E-5, Kendriya Paryavaran Bhawan,
E-5 Arera Colony, Link Road-3, Ravishankar Nagar, Bhopal – 462016
Email: rowz.bpl-mef@nic.in

Sub.:- MOEF's EC compliance & other compliance reports with respect to Vastan Lime Stone Mine, GIPCL, Vastan Village, Taluka - Mangrol, District - Surat, Gujarat for the period from January'2019 to June'2019

Ref.:- Environmental Clearance accorded vide letter no F No. J – 11015/112/2011-IA.II (M) date 22nd July'2015

Dear Sir,


Please find enclosed herewith following details With respect to GIPCL's Vastan Lime Stone Mine, Vastan - Village, Taluka - Mangrol, District - Surat, State - Gujarat for the period from **January 2019 to June 2019**.

- (1) Environment Clearance (EC) compliance report.
- (2) Data sheet Part-I, Six monthly report monitoring of the implementation of Env. Safeguard
- (3) Environmental Monitoring and analysis report (Half yearly report)
- (4) Peizometer Reading for the period January'2019 to June'2019.

This is for your kind information.

Thanking you,

For Gujarat Industries Power Co. Ltd.


N K CHAUDHARI
AGM (mines)

Encl.:-

1. EC compliance report for the period from Jan 2019 to June 2019 as **ANNEXURE- A** with enclosure **ANNEXURE - A(I) , ANNEXURE -A(II) & ANNEXURE - A(III)**
2. Six monthly report Monitoring of the implementation of Env. Safeguard (Data Sheet Part – I). as **Annexure – B with enclosure ANNEXURE - I & ANNEXURE - II**
3. Environmental Monitoring and analysis Report for period January' 2019 to June' 2019. **ANNEXURE – C**
4. Peizometer Reading for the period January'2019 to June'2019 **ANNEXURE-D**

cc :- **The Regional Officer, R.O. Surat,**
Gujarat Pollution Control Board,
338, Belgium square, Opp. Linear Bus Stand, Surat.

Registered Office & Vadodara Plant :
P.O.Petrochemical, Dist. Vadodara 391 346 Gujarat - INDIA

Phone : EPABX (0265) 2230182 / 2230028 / 2232768
Fax : 2230029 **E-mail :** genbaroda@gipcl.com

Website : www.gipcl.com
CIN No.: L99999GJ1985PLC007868

ANNEXURE – A

PROJECT NAME : VASTAN LIMESTONE MINE
PROPONENT NAME : M/S GUJARAT INDUSTRIES POWER COMPANY LIMITED
EC NUMBER AND DATE OF ISSUE : LETTER NO. J-11015/112/2011-IA.II(M) Dated 22 JULY'2015
PERIOD OF COMPLAINT : 1ST January 2019 TO 30th June 2019

| SN | Condition | Compliance |
|----|--|--|
| 1 | No mining activities will be allowed in the forest area , if any , for which the forest clearance is not available | The entire lease area falls under non forest land hence it is not applicable |
| 2 | The project proponent shall obtain consent to operate from the state pollution control board, Gujarat and effectively implement all the conditions stipulated therein. | Consent from the Gujarat Pollution Control Board vide their letter No GPCB/CCA-SRT-346(3)/ID_20748/331172 dated 26 th October 2016 and New Consent letter No GPCB/CCA-SRT-346(3)/ID_20748/outward no-509345 dated 07 th June '2019 and effectively implements all the conditions stipulated therein. |
| 3 | The proponent shall appoint an occupational health specialist for regular and periodical medical examination of the workers engaged in the project and maintain records accordingly , also occupational health check-ups for the workers undertaken once in six month and necessary remedial / preventive measures taken accordingly. The recommendation of the National institute for ensuring occupational environment for mine workers shall be implemented: the preventive measures for burns, malaria and provision of anti – snake venom including all other paramedical safe guards may be ensured before initiating the mining activities. | Our Medical officer conducting initial and periodical medical examination of workman and staff. Initial and periodical medical examination of workers are being conducted at Occupational Health Centre and record of the same is maintained The preventive measures for burns, malaria and provision of anti – snake venom including all other paramedical safe guards are kept at the center. |
| 4 | Implementation of Action plan on the issues raised during the public Hearing shall be ensured. The PP shall complete the entire task as per the Action Plan submitted with budgetary provisions during the public Hearing. | The Action plan on the issue raised during public meeting is under progressive implementation. |
| 5 | The Mining Operations shall be restricted to above ground water table and it should not intersect groundwater table. In case of working below ground water table, prior approval of the ministry of Environment, Forest and Climate change and Central Ground water Authority shall be obtained for which a detailed hydro-geological study shall be carried out, the report on six monthly basis on changes in Ground water level and quality shall be submitted to the Regional Office of the Ministry. | Mining Operations is restricted to above ground water table. |

| | | |
|----|--|---|
| 6 | The pollution due to transportation load on the environment will be effectively controlled & water sprinkling will also be done regularly. Vehicle with PUC only will be allowed to ply. The mineral transportation shall be carried out through covered truck only and the vehicle carrying the mineral shall not be overloaded. Project should obtain PUC certificate for the entire vehicle from authorized pollution testing centres. | Overloading of the transportation trucks is controlled through electronic weighbridge system. Continuous water sprinkling is carried out all along the transportation road. Covering of truck is in practice. All vehicles engaged in transportation of Lime stone is checked and issued PUC by authorized pollution testing agencies. |
| 7 | There should be planning, developing and implementation facility of rainwater harvesting measures on long term basis in consultation with regional Directorate, Central Ground water board and implementation of conservation measures to augment ground water resource in the area in consultation with central ground water board. | Approval letter for construction of Rain Water Harvesting has been received from Central Ground Water Board, Ahmadabad and Two Rain water harvesting wells have been constructed in the Lease area of Vastan Lime Stone Mining and details with photographs has been submitted to Ministry of Environment, Forest and Climate Change vide letter no SLPP/Vastan Mines/Environment Return/2016/4009, dated – 01.08.2016. |
| 8 | Use of effective sprinkler system to suppress fugitive dust on haul road and other transport road shall be ensured. Washing of all transport vehicle should be done inside the mining lease | Continuous pressurized water sprinkling by engagement of water tanker is in practise. Fugitive dust emission is under control. Washing of all transport vehicles are done inside the mining lease area. |
| 9 | Implementation of Environment Management Policy of the company w.t.r judicious use of Mineral resources for growth & development synchronizing mining & environment with prosperity. | Environmental Management Policy of the company is already implemented at mine area for judicious use of mineral resources |
| 10 | The project proponent shall also take all precautionary measures during mining operation for conservation and protection of endangering flora/ fauna, if any, spotted in the study area. | All effort is being taken for conservation and protection of flora/ fauna. However there is no endangering species is recorded in the EMP. |
| 11 | The illumination and sound at night at project site disturb the village in respect of both human and animal population. Consequent sleeping disorder and stress may affect the health in the village located close to mining operations. Habitation has a right for darkness and minimal noise level at night. Project proponent must ensure that the biological clock of the villagers and keeping the noise level well within the prescribed limit for day light / night hours | The Mine site is away from the surrounding villages and there is no adjoining habitation area. However all precautionary measures are being taken for keeping noise level well within the prescribed limit. The Six monthly Environment monitoring and analysis report from January 2019 to June 2019 is attached herewith as ANNEXURE – C |

| | | |
|----|---|---|
| 12 | Main haulage road in the mine should be provided with permanent water sprinkling and other road should be regularly wetted with water tankers fitted with sprinklers | Entire mine road is covered with water sprinkling through water tanker. Because mine working is carried out in moving front and haulage road is frequently changing hence the water sprinkling system through engagement of water tanker is adopted. |
| 13 | Transportation of Mineral by road passing through the village shall not be allowed. A bypass road should be constructed (say leaving a gap of at least 200 Mtr) for the purpose of transportation of minerals so that the impact of sound, dust and accident could be mitigated. The project proponent shall bear the cost towards the widening and strengthening of existing public road network in case the same is proposed to be used for the project. No road movement should be allowed on existing village road network without appropriately increasing carrying capacity of such road. | Transportation of Lime stone from mine area to plant is being carried out through road owned by the company and no village road is under use. |
| 14 | Likewise alteration or re-routing of the foot path , pagdandis , cart road and village infrastructure / public utilities or road (for purpose of land acquisition for mining) shall be avoided to the extent possible and in case such acquisitions is inevitable , alternative arrangement shall be made first and then only the area acquired. In these types of cases, inspection report by site visit by expert may be insisted upon which should be done through reputed institutions. | Because no public road is under use for lime stone transportation hence this is not applicable. |
| 15 | CSR activities by companies including the Mining establishment has become mandatory up to 2% of their financial Turn- over, socio Economic Development of the neighbourhood habits could be planned and executed by project proponent more systematically based on the need based door to door survey by established social institutes/ workers. The report shall be submitted to the ministry of Environment & forest and its Regional office located at Bhopal on six monthly basis. | GIPCL has been consistently spending more than 2% of its net profit towards various development activities under its CSR intervention for the benefit of community residing in surrounding villages towards health, education, income generation, village infrastructure, environment management etc. A brief report along with photograph of the CSR activities for the period from January19 to June19 of the GIPCL is attached herewith as ANNEXURE-A(II) & ANNEXURE – A(III) |
| 16 | Provision shall be made for the housing of construction labourer within the site with all necessary infrastructure and facilities such as fuel for cooking , mobile toilets , mobile STP , safe drinking water , medical health care , crèche etc. The housing may be in the form of temporary structure to be removed after the completion of the project. | The entire work force is local and they are commuting from their natives daily. Hence no such requirement is needed. |

| | | |
|--------------------------|---|--|
| 17 | A final mine closure plan along with detail of corpus fund shall be submitted to the ministry of Environment, Forest & climate change 5 year in advance of final mine closure for approval. | Final mine closure plan with corpus fund has been submitted to Ministry of Environment, Forest and Climate Change. The 80 Ha lease area of Limestone mine falls under the 1536 Ha lease area of Vastan Lignite mine and Vastan Lignite mine closure plan has been approved from Ministry of Coal and same is under implementation. |
| GENERAL CONDITION | | |
| 18 | No change in mining technology and scope of working should be made without prior approval of the ministry of Environment & Forest & climate change | There is no change in mining technology and scope of working for Vastan Lime Stone Mine. |
| 19 | No change in the calendar plan including excavation quantum of Lime stone and waste should be made | There is no change in calendar plan including excavation quantum of Lime Stone and waste. |
| 20 | The project proponent shall obtain necessary prior permission of the competent authorities for drawl of requisite quantity of surface water and ground water for the project | No surface water or ground water is under use for mining activity. Stored water of monsoon season in the mine pit is being used for water sprinkling. |
| 21 | Regular monitoring of ground water table to be carried out at the upstream and depth of water available in the dug well is to be measured. Monitoring to be done by establishing a network of existing wells and construction new peizometer | A dug well is constructed in the mine area and since, Nov 2015 a piezometer is installed for regular monitoring of ground water table. Report of Regular monitoring of ground water table, peizometric report from January 2019 to June 2019 is attached herewith as ANNEXURE – D |
| 22 | Monitoring of ambient Air Quality to be carried out based on 2009 notification , as amended from time to time by central pollution control board , water sprinkling should be increased at place loading and unloading points & transfer point to reduce fugitive emission | Complied Ambient Air Quality monitoring details is enclosed in Environment monitoring and analysis report from January 2019 to June 2019 is attached herewith as ANNEXURE – C |
| 23 | The upliftment of scheduled caste / schedule tribe population , specific program have been taken in to consideration specially with respect to education , health care , livelihood generation , infrastructure development & promotion of sport & culture for ST /SC population and that these will be intensified in future | The brief report on CSR activities of GIPCL for the period from January 19 to June 19 attached herewith as ANNEXURE A(II) & as ANNEXURE – A(III) also includes the details of the efforts being made for upliftment of scheduled caste / schedule tribe population. CSR activities of the company include health care, education, Livelihood generation, Village infrastructure development, Resource centre for training etc. Company has incurred Rs 326.64 Lacs period from January' 19 to June' 19 The community based education, health care, Livelihood generation, infrastructure development, promotion of sport and culture work undertaken in program area fall under tribal pocket. |

| | | |
|----|--|---|
| 24 | <p>The top soil, if any shall temporarily be stored at earmarked site (s) only and it should not be kept unutilized for long. The topsoil shall be used for land reclamation and plantation. The overburden (OB) generated during the mining operation shall be stacked at earmarked dump site (s) only and it should not be kept active for a long period of time. The maximum height of the dumps shall not exceed 8 mtr and width 20 mtr and overall slope of the dumps shall be maintained to 45Degree. The OB dump should be scientifically vegetated with suitable native species to prevent erosion and surface runoff. In critical areas, use of geo textile shall be undertaken for stabilization of the dump. The entire excavated area shall be backfilled and afforested , monitoring and management of rehabilitated area should continue until the vegetation become self sustaining , compliance status shall be submitted to the ministry of Environment , Forest and climate change and its regional office located at BHOPAL on six monthly basis.</p> | <p>Top soil is being stored are earmarked sites and will be utilised for land reclamation and plantation.</p> <p>Entire dumping of waste is being carried out inside the mined out area of the mine.</p> |
| 25 | <p>Catch drain and siltation pond of appropriate size shall be constructed around the mine working mineral and OB dump to prevent run off of water and inflow of sediment directly in to the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly de-silted particularly after monsoon and maintained properly. The drains , setting tanks and check damp of appropriate size , gradient and length shall be constructed both around the mine pit and overburden dumps to prevent run off of water and flow of sediment directly in to the river and other water bodies and sump capacity should be designed keeping 50 % safety margin over and above peak sudden rain fall (based on 50 years data) and maximum discharge in the area adjoining the mine site , sump capacity should also provide adequate retention period to allow proper settling of silt material.</p> | <p>On regular basis before monsoon catch drain and siltation pond of appropriate size is constructed around the mine working mineral and OB dump to prevent run off of water and inflow of sediment directly in to the natural nallah and other water bodies. The water so collected is being utilized for watering the mine area, roads, green belt development etc.</p> <p>The drains area regularly de-silted particularly after monsoon and maintained properly</p> <p>The drains, settling tanks and check damp are constructed both around the mine pit and overburden dumps to prevent run off of water and flow of sediment directly in to the natural nallah and other water bodies; Sump capacity is so designed that to keep 50 % safety margin over and above peak sudden rain fall and maximum discharge in the area adjoining the mine site ,</p> <p>Mine Sump capacity is so designed that to provide adequate retention period to allow proper settling of silt material.</p> |

| | | |
|----|--|--|
| 26 | Plantation shall be raised in a 7.5 m wide green belt in the safety zone around the mining lease, backfilled and reclaimed area, around water body, along the road etc. by planting the native species in consultation with the local DFO/Agriculture Department. The density of the trees should be around 2500 plants per Ha. Green belt shall be developed all along the mine lease area in a phased manner and shall be completed within first five years. | The 80 Ha lease area of Limestone mine falls under the 1536 Ha lease area of Vastan Lignite mine and plantation has been carried out in the periphery of Vastan Lignite Mine leasehold area. Further, Green belt will be developed in a phased manner. |
| 27 | Dimension of the retaining wall at the toe of over burden dumps and OB benches within the mine to check run off and siltation shall be based on the rain fall data. | The entire waste is being accommodated inside the voides of mined out area of mine pit. Hence no such requirement of retaining wall is there. |
| 28 | Effective safe guard measured such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high level of PM10 and PM2.5 such as haul road , loading and unloading point and transfer points , it shall be ensured that the Ambient Air quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regards | Water sprinkling is carried out by Pressurized Water Tankers at regular interval covering all area of mine prone to air pollution. This Ambient Air quality is being sampled at specified areas and analyzed. Result is reported well within the prescribed limits. Environment monitoring and analysis report from January 2019 to June 2019 is attached herewith as ANNEXURE – C |
| 29 | Regular monitoring of the flow rate of the springs and perennial nallah flowing in and around the mine lease area shall be carried out and records maintained. Regular monitoring of water quality upstream and downstream of water bodies shall be carried out four times in a year – pre monsoon, (April- May), monsoon (August), post monsoon (November) and winter (January) and the data thus collected may be sent regularly to ministry of Environment , Forest and climate change and its Regional office Bhopal , central ground water authority and regional director , central ground water board. | Monitoring of environmental parameter of the core and buffer zone of the mine area is being carried out bi-monthly and report is being prepared. This monitoring include the water quality of ponds, nallah and bore well of surrounding villages. The half yearly monitoring of water quality data is incorporated in the Environment monitoring and analysis report from January 2019 to June 2019 is attached herewith as ANNEXURE – C There is no perennial Nallah is flowing in and around mine lease area, only seasonal Nallah nearby mine lease area flowing during monsoon only. |
| 30 | The critical parameter such as PM 10 (size less than 10 micro meter) PM 2.5 (size less than 2.5 micro meter) No x in the ambient air within the impact zone , peak particle velocity at 300m distance or within the nearest habitation whichever is closer shall be monitored periodically. Further quality of the discharge water shall also be monitored (TDS, DO, PH and | Monitoring of air quality of the ambient air of the core and buffer zone of the mine area is being carried out bi-monthly and report is being prepared. All the critical parameter viz PM10, PM2.5, NOx and Sox in the ambient air within core and buffer zone is being monitored. The half yearly Environment monitoring and analysis report from January |

| | | |
|----|--|---|
| | Total suspension solids (TSS). The monitored data shall be uploaded on the website of the company as well as displayed on a display board at the project site at a suitable location near the main gate of the company in public domain. The circular no J – 20012/1/2006 – IA .II (M) dated 27.05.2009 issued by ministry of environment , Forest & Climate change , which is available on the website of the ministry shall also be referred in this regards for its compliance. | 2019 to June 2019 is attached herewith as ANNEXURE – C There is no habitation within 300 Mtr distance of the mine. There is no discharge of water from the mine. Only rain water, which collected in monsoon, season, is pumped out in monsoon period only place where resuming the mining activity. The above said water also is being used for water sprinkling and plantation purpose. |
| 31 | Four ambient air monitoring air quality monitoring stations should be established in the core zone as well as in the buffer zone for PM10 , PM2.5 , SO2, NOx , monitoring location of the stations should be decided based on the meteorological data topographical features and environmentally and economically sensitive targets. And frequency of monitoring should be undertaken in consultation with the state pollution control boards. Data on ambient air quality should be regularly submitted to the ministry including its regional office located at the Bhopal and the state pollution control boards / central pollution control boards once in six month | Minimum five stations are established in core and buffer zone for ambient air quality monitoring and PM10, PM2.5, SO2, Nox, CO emission is being monitored. Monitoring stations are located as per meteorological data and topographical features and environmentally and economically sensitive areas of core and buffer zone. The level of PM10, PM2.5, SO2, NO2 emission is being monitored Bi-monthly. Data related with each of the above parameters are within limits prescribed The half yearly monitoring of Environment monitoring and analysis report from January 2019 to June 2019 is attached herewith as ANNEXURE – C |
| 32 | Fugitive dust emission from all the sources should be controlled regularly; water spraying arrangement on the haul road, loading and unloading and at transfer points should be provided and properly maintained. | Dust emission from all the sources are being controlled by water sprinkling at regular interval. |
| 33 | Measures should be taken for control of noise level below 85dBA in the work environment. Workers engaged in operations of HEMM etc , should be provided with ear plug / muff | Measure is taken for control of noise level below 85dBA. Workers engaged in the operations of HEMM (i.e. Dozer) are issue ear plug. The half yearly monitoring of Noise monitoring data is incorporated in the Environment monitoring and analysis report from January 2019 to June 2019 is attached herewith as ANNEXURE – C |
| 34 | Industrial waste water (work shop and waste water from the mine) should be properly collected, treated so as to conform to the standard prescribed under GSR 422 (E) dated 19 th May 1993 and 31 st December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents | Waste water from work shop is collected and treated. |

| | | |
|----|---|---|
| 35 | Personal working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspect. | Before employment of workmen in mine, basic training on safety and health aspect is being carried out. Person working in the mine area is provided with dust mask. |
| 36 | Occupational health surveillance program of the workers should be undertaken periodically to observe any contraction due to exposure to dust and take corrective measures, if needed. | Occupation health surveillance program is already under implementation in the mine. Basic and periodical medical examination of the workers is being carried out at company's Occupation Health Centre by Industrial and Occupational Health Specialist employed by the company. |
| 37 | A separate environment management cell with suitable qualified personal should be set up under the control of a senior Executive , who will report directly to the head of the organization | Separate environment management cell is set up under the control of CGM (Mines), who is directly reporting to Managing Director of the Company. |
| 38 | The fund earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the ministry and its Regional office located at Bhopal | Fund earmarked for environmental protection is kept in separate ledger in annual budget of the company. Budget orders are generated for all planned expenditure and expenses are booked against the order in the ledger. The year wise expenditure of environment protection is enclosed in data Monitoring Report, Part - I of Data Sheet ANNEXURE - B of Annexure - II |
| 39 | The project authorities should inform to the Regional Office located at Bhopal regarding date of financial closure and final approval of the project by the concerned authorized and the date of start of the land development work. | Vastan Lime Stone Mine is a part of the Vastan Lignite Mine. Though the Vastan Lignite Mine is 15 years old and financial closure is already completed years back. |
| 40 | The regional office of this ministry located at Bhopal shall monitor compliance of the stipulated conditions. The project authorities should extend full co - operation to the officer(s) of the Regional office by furnishing the requisite data / information / monitoring report | Requisite data, report, information, monitoring report will be submitted to the regional office. |
| 41 | The project proponent shall submit six monthly reports on the status of the implementation of the stipulated environment safe guards to the ministry of Environment, Forest and climate change, its regional office, Bhopal, central pollution control board and state pollution control board. | This report is about the six monthly report of the status of implementation of the stipulated environmental safe guards of the ministry. This report is being submitted to regional office, Bhopal, central pollution control board and state pollution control board. For implementation of all environmental safeguards and for environmental measures detail enclosed in data Monitoring Report, Part - I of Data Sheet ANNEXURE - B |


 AGM (Mines)



जल संसाधन, नदी विकास और गंगा संवर्धन विभाग
Ministry of Water Resources, River Development & Ganga Rejuvenation

केन्द्रीय भूमि जल बोर्ड / Central Ground Water Board

Annexure - A (I) पश्चिम मध्य क्षेत्र / West Central Region

स्वामीनारायण कॉलेज बिल्डिंग, शाहआलम टोलनाका, अहमदाबाद-22, गुजरात

टेलीफोन : 079-25320476, 25330009, फ़ैक्स : 079-25329379,

ईमेल : rdwcr-cgwb@nic.in, tsdcr-cgwb@nic.in, वेबसाइट : cgwb.gov.in

No. TS /8, (0) / WCR /CGWB /MoEF-GIPCL_Nani Naroli - 259

Date: 19-4-16

To,

M/s. Gujarat Industries Power Co. Ltd.

Village & Post Nani Naroli,

Taluka: Mangrol,

District- Surat, Gujarat - 394110

Sub: Implementation of Rain Water Harvesting at Vastan Limestone Mine Premises.

Ref: Letter No.SLPP/Mines/RWH/2016, Dt. 1 March 2016.

Sir,

In compliance to conditions laid at point No. A(ix) of the directives issued in the Environment Clearance by the Ministry of Environment, Forests and Climate Change vide letter No. F.No.J-11015/112/2011-IA.II (M), dt. 22 July 2015 to Gujarat Industries Power Company Limited, at Nani Naroli, Taluka:Mangrol, District:Surat, - 394110, Gujarat regarding implementation Rainwater Harvesting Scheme at Vastan Limestone Mine, Taluka:Mangrol, District- Surat, Gujarat, it is to inform that your proposal has been examined and following observations are made.

The proposal is for implementation of Rainwater Harvesting and its artificial recharge to groundwater at Vastan Limestone Mine located near village: Vastan, Taluka: Mangrol District: Surat, Gujarat. The firm, has proposed to harvest the runoff generated from the Non-Mining Area and Green Belt Areas of the Vastan Mining Lease @ 1,85,541 m³/yr.

The runoff generated from the Non Mining Areas of Vastan Mining Lease is proposed to recharge the groundwater by constructing 2 nos of Recharge Structures comprising of Injection Well system of depth 67 mts. at the suitable locations at Vastan Mining Lease area.

In this connection, it is to inform that your proposal for Rain Water Harvesting is found satisfactory and may be implemented as per the proposal and the set procedures of rainwater harvesting scheme, along with following suggestions.

1. The recharge structures should be exclusively used for recharge purpose only. No groundwater should be abstracted by any means through these recharge wells.
2. Routine maintenance of the recharge structures should be carried out on periodic time frame.
3. Water level and water quality should be monitored periodically and the monitoring should be submitted to this office for record regularly.
4. No ground water should be abstracted form the area without prior permission of the competent authority.

Yours sincerely

(Signature)
21-04-16

(Anoop Nagar)
Regional Director

Copy to: The Member Secretary, Central Ground Water Authority, Ministry of Water Resources, West Block-2, Wing-3, R.K.Puram, Sector-1, New Delhi - 110 066, for kind information.

(Anoop Nagar)
Regional Director

(Signature)

CSR ACTIVITY

January - June
2019



[Handwritten signature]

Gujarat Industries Power Company Limited (GIPCL) is a Public Limited Listed Company incorporated in 1985 having its Registered Office at P.O.: Petrochemicals - 391 346, Dist.: Vadodara. GIPCL was promoted under the auspices of the Govt. of Gujarat (GoG) by Gujarat Urja Vikas Nigam Limited (GUVNL) (erstwhile Gujarat Electricity Board - GEB), Gujarat Alkalies & Chemicals Limited (GACL), Gujarat State Fertilizers & Chemicals Limited (GSFC) and Petrofils Co-operative Limited (in Liquidation). The Company was conceived to cater to electricity requirements of the Promoting Power Intensive Companies. GIPCL installed its first 145 MW Nephtha / Natural Gas based Power Plant at Vadodara in February 1992. GIPCL expanded its Power generation capacity by installing 165 MW Nephtha / Natural Gas based Power Plant at Vadodara in November 1997, as Independent Power Producer (IPP). Further, It expanded its capacity by installing Lignite based Phase - I, 125 MW X 2 Units in February 2000 and Phase - II, 125 MW X 2 Units in April 2010, at Village Nani Naroli, Tal.: Mangrol, Dist.: Surat, known as Surat Lignite Power Plant (SLPP). GIPCL has its captive Lignite Mines in Mangrol Taluka, Dist.: Surat and Valia Taluka, Dist.: Bharuch.

In addition, GIPCL is operating 5 MW Photo Voltaic Solar Power Plant which is located on the top of Over Burden Soil Dump at Vastan Lignite Mine.

Power generated by GIPCL is supplied to State grid (GUVNL) and a part of it is given to the promoting companies through the State Grid.

GIPCL has also successfully commissioned 1 MW Distributed Solar Power Pilot Plants (DSPP) with novel concept of Agriculture activities, at two locations in Gujarat viz. at Village Amrol, Tal.: Ankalav, Dist.: Anand and at Village Vastan, Tal.: Mangrol, Dist.: Surat.

GIPCL has started directing its concerted efforts to make a big foray into Renewable Energy Sector. GIPCL has successfully commissioned 112.4

MW capacity Wind Power Projects at various locations in Gujarat. GIPCL has successfully commissioned 30 KW and 70 KW Roof Top Solar Power Plants at Vadodara Plant and SLPP respectively. Company has successfully commissioned 80 MW (2 x40 MW) Solar Power Projects at Charanka Solar Park in Gujarat and another 75 MW Solar Power Project at Charanka Solar park was commissioned on 4th July,2019.

GIPCL is committed to shoulder the responsibility along with the state for the noble cause of socio-economic upliftment of the people in the surrounding Villages / Area of its Facilities at Vadodara and Mangrol. Its various initiatives under the Corporate Social Responsibility (CSR) are implemented through a dedicated organization viz. Development Efforts For Rural Economy And People (DEEP), aimed at socio economic development like health, education, infrastructure and livelihood.

DEEP Trust has been exclusively working towards holistic development of the communities through integrated social development approach. At present DEEP focuses on multiple thematic sectors such as health, education, livelihood, infrastructure development, environment, and land losers development. DEEP follows principles of working at grass root level, active participation of communities at all stages of project development and implementation employing consultative processes. Through these, DEEP empowers communities to achieve better socio - economic status for one and all members of the communities.

DEEP operates independently under the visionary leadership of the Chief Executive Officer (CEO) and professional guidance of its Board.

DEEP formulates and executes appropriate Projects, based on extensive and in depth study about the requirements of the local communities to achieve its mission through active participation of local communities.

At present, the organization is concentrating in twenty one (18) villages of Mangrol taluka and five (5) villages of Mandvi taluka in Surat District and six (6) villages of Valia taluka in Bharuch District.

REACH ON GROUND

| Surat District | | | Bharuch District |
|----------------|--------------|------------------|------------------|
| Mangrol Taluka | | Mandvi Taluka | Valia Taluka |
| Anoi | Nana Naugama | Baudhan | Dansoli |
| Bhilwada | Nani Naroli | Patna | Juna Bhaga |
| Charetha | Nani Pardi | Tadkeshwar | Kosmadi |
| Dungri | Shah | Togapur | Luna |
| Harsani | Surali | Ushker - Ramkund | Nava Bhaga |
| Jakharda | Timberwa | | Rajgadh |
| Mangrol | Vadoli | | |
| Morambli | Vakilpara | | |
| Mosali | Vastan | | |

THEMATIC FOCUS OF DEEP.....

| | | | | | |
|---|---------------------------------|----------------------------|---------------------------|----------------------|---------------------|
| Health | Drinking Water | Sanitation | Support to CHC | Medical Camps & Aids | Mobile Medical Unit |
| Women Empowerment | SHG (Formation & Strengthening) | Skill Enhancement Training | | | |
| Village Infrastructure Development | Roads | Culverts & Bridges | Community Infrastructures | | |
| Resource Centre | Nursery | Vermicompost | | | |

The Corporate Social Responsibility (CSR) activities for January to June 2019 are as enumerated below:

HEALTH

The key activities under health are:

- Providing drinking water support

The organization provided drinking water support in two (2) villages as water cess to village Pani Samiti of the village Panchayats for bills raised by GWSSB in ratio of 90:10% (DEEP:Pani Samiti)

Expense (January,19 to June,19)

(Amt. Rs. in Lakhs)

0.37

- Construction of sanitation infrastructure & Individual Household Unit including awareness

Construction of sanitation unit is one of the key action undertaken by DEEP in the project villages to improve health and sanitation facilities. As DEEP works in rural area, it is imperative to acknowledge that toilets are non-existent in most of the households in the villages. Taking strong exception to the lack of sanitation, it launch an all out effort to provide toilets and during the F.Y. 2018-19, it constructs 454 nos. of toilet taking the total to 4551 nos. of toilets in its program area villages.

Expense

(Amt. Rs. in Lakhs)

127.29

Further, during Quarter-1 of F.Y. 2019-20, we had constructed 15 household toilet against yearly target of 100 units. Financial implication is Rs.3.97 lakhs for the same.

To create awareness for the effective utilization of the sanitation units, Bhavai show was also conducted at village level and schools.

- Providing support to Community Health Centre (CHC) through specialists doctors such as Paediatrician and Gynaecologist

Rural residents experience barriers to healthcare that limit their ability to obtain the care they need. For instance, to have good healthcare access, a rural resident must also have financial means to pay for services, means to reach and use services, such as transportation to services which may be located at a distance, and the ability to take paid time off of work to use such services, confidence in their ability to communicate with healthcare providers or has poor health literacy, confidence in their ability to use services without compromising privacy and confidence in the quality of the care that they will receive.

In order to meet the unmet need of the villagers, DEEP also provided support to the Community Health Centre (CHC), Mosali through specialists doctors such as Paediatrician and Gynaecologist.

Number of beneficiaries (January,19 to June,19)

| Specialist | CHC, Mosali, Tal. Mangrol, Dist. Surat Patient (Nos.) |
|---------------|--|
| Gynaecologist | 521 |
| Paediatrician | 244 |
| Total | 765 |

Expense

(Amt. Rs. in Lakhs)

1.08

Celebration of World Yoga Day

World Yoga Day was also celebrated on 21.06.2019 with very good response and participation from the villagers

| Celebration of World Yoga Day | |
|--------------------------------------|-----|
| Nos. of participants | 130 |

Expense

(Amt. Rs. in Lakhs)

| |
|-------------|
| 0.32 |
|-------------|

- Mobile Medical Unit moving from village to village everyday with adequate staff and free medicines

Mobile clinics represent an integral component of the healthcare system that serves vulnerable populations and promotes high-quality care at free of cost. They improve access, bolster prevention and chronic disease management, and reduce costs. Mobile clinics have a critical role to play in providing high-quality care to historically underserved vulnerable populations.

The MMU Van visits the designated communities on a regular basis and offers services such as medical consultation, dispensing medicines, conducting medical counseling etc. for the villagers. The MMU staff also makes house visits to provide health services to those who are serious and cannot reach the van. The unit also refers beneficiaries to various health institutions in case of need.

| OPD STATUS (January,19 to June,19) | |
|---|------|
| Number of OPD Days | 98.5 |
| Total Patient | 7306 |
| Total Lab. test | 201 |
| Average Patient per day | 74 |

Expense

(Amt. Rs. in Lakhs)

| |
|--------------|
| 12.03 |
|--------------|

EDUCATION

The key activities under education are:

- Infrastructure support to schools

Not only are the students and their general abilities, but also the education environment varies a lot. There is a lot of difference in the terms of opportunities; infrastructure as well as mindset. Many rural schools have less robust buildings, problems in access with seasonal variations, and less access to a range of knowledge centers even if they have great teachers.

Most of the government schools do not have basic infrastructure like strong school building, class rooms, black boards, proper benches to sit and listen to their teacher effectively, drinking water, play grounds for recreation and other recreation facilities, toilet facilities, cleanliness of the school surroundings, etc. During the F.Y. 2018-19, Prayer Hall, Construction Class Rooms, Construction of Compound wall, Paver Block & Construction of Sanitation Blocks were carried out.

Expense (January,19 to June,19)

(Amt. Rs. in Lakhs)

32.16

- Educational activities - Celebration of School Enrolment Day, Aanganwadi Enrolment Day

Educational activities such as celebration of School Enrolment Day, celebration of Aanganwadi Enrolment Day were carried out during 1st quarter of F.Y. 2019-20.

| Celebration of School Enrolment Day | | Celebration of Aanganwadi Enrolment Day | |
|-------------------------------------|--------|---|--------|
| Village (Nos.) | 29 | Village (Nos.) | 29 |
| School (Nos.) | 35 | Aanganwadi (Nos.) | 63 |
| Student / Kit (Nos.) | 564 | Student / Kit (Nos.) | 238 |
| Cost per kit (Rs.) | 368.14 | Cost per kit (Rs.) | 151.00 |

Expense

(Amt. Rs. in Lakhs)

2.44

Providing Competitive Exam Centre

For benefiting rural youth for government jobs, we have started a centre for giving guidance and training for the competitive exam.

Expense (January,19 to June,19)

(Amt. Rs. in Lakhs)

2.19

- Resource & Equipment Support to Schools

We had also provided public address system, furniture, computer set, water cooler with filter etc to nearby schools. GIPCL Incurred expense Rs. 2.19 Lakh during 1st quarter of F.Y. 2019-20.

- Educational Activities - Educational Support to Wards of Land Loser

We had sponsored free education to Children of land loser : 74 children during F.Y. 2019-20 (Up to 30.06.2019). GIPCL incurred expense Rs.7.75 lakh

We had also sponsored free education to Children of Contractual workmen : 58 children during F.Y. 2019-20 (Up to 30.06.2019). GIPCL incurred expense Rs. 3.90 Lakh

- Support to BVB's GIPCL Academy for Capital expenses

BVB's GIPCL Academy is an English Medium School following the CBSE curriculum. There are altogether 786 Students from Nursery to Standard XII (F.Y. 2018-19). More than 65% of the students are outsiders i.e. not children of employees.

Expense

(Amt. Rs. in Lakhs)

| |
|-------|
| 10.02 |
|-------|

LIVELIHOOD - WOMEN EMPOWERMENT THROUGH SELF HELP GROUPS

The key activities under women empowerment are:

- Formation & strengthening of Self Help, organizing Clean House & Street Competition every year among the SHG members to inculcate in them a sense of cleanliness

DEEP's intervention among rural women through Self Help Group (SHG) has witnessed that women who are muzzled of their voice, dependent and restricted, have become better informed, independent, self-reliant, freely interacting in public and emerged as decision makers for themselves and their families, who are empowered to be at par with men folk. These women who were marginalized, resource crunched, under employed, mortgaged / indebted have learnt to manage their own resources and diversify their potentials changing traditional attitudes.

| Particulars (F.Y. 2018-19) | Total |
|----------------------------|--------|
| Villages (Nos.) | 25 |
| Groups (Nos.) | 161 |
| Members (Nos.) | 1647 |
| Savings (Rs. in Lakhs) | 126.85 |

| Credit (Rs. in Lakhs) (F.Y. 2018-19) | |
|--------------------------------------|---------------|
| Internal | 397.89 |
| Bank | 62.08 |
| Total | 359.97 |

| SHG Training (01.01.2019 to 30.06.2019) | | | |
|---|------------------|----------|------------|
| Sr. No. | Subject | Training | Members |
| 1. | Accounts | 2 | 99 |
| 2. | Member Awareness | 0 | 0 |
| 3. | Internal Credit | 2 | 126 |
| Total | | 4 | 225 |

The organization is also organizing Clean House & Street Competition every year among the SHG members to inculcate in them a sense of cleanliness.

Every year, exposure visits are carried out for the SHG members to places of best practices where they could learn new things which could be implemented in their respective villages.

Further during 24.03.2019 to 29.03.2019 an exposure visit (Place : AKRSP Sayla & Rajsamdhiala) was organised in which 50 SHG members have participated.

Moreover, 54 women entrepreneurs from SHG honored on 04.03.2019 for successfully running their livelihood activities.

Expense

(Amt. Rs. in Lakhs)

13.20

VILLAGE INFRASTRUCTURE DEVELOPMENT

DEEP has been striving since inception to create infrastructures in its program area villages. A number of initiatives has augmented the rural infrastructure level, which could contribute positively in improving the poverty scenario. The organization supplemented the effort of the government through construction of roads and culverts. In the process, various other community structures were also constructed.

The key activities under village infrastructure development are:

- Construction of Roads

During F.Y. 2018-19 total 15 Nos. (3222.45 rmt.) of CC roads, were constructed in surrounding 8 villages

Expense

(Amt. Rs. in Lakhs)

70.19

- Construction of Culvert

1 village 2 Nos.

Expense

(Amt. Rs. in Lakhs)

13.97

- Construction of village infrastructures such as Dairy Building, Solar Cooker, Compound Wall, Panchayat Ghar etc.

Expense

(Amt. Rs. in Lakhs)

17.20

RESOURCE CENTRE FOR TRAINING

The resource centre is a place where people undergo skills training. Here various types of skills trainings are carried out for Self Help Group Members. It is also used for meetings with key persons of the program area villages, meetings with government officials, GIPCL's officers and DEEP's staff as well. Within the premises, a nursery is set up where saplings are raised for plantation and also vermicompost is also prepared for local use within the plantation area.

The key activities under resource centre are:

- Maintaining of the training centre
- Nursery for raising of saplings for plantation
- Production of vermicompost for organic fertilizer

Expense

(Amt. Rs. in Lakhs)

10.34

--X--X--X--

DEEP
DEVELOPMENT EFFORT FOR RURAL ECONOMY AND PEOPLE
BUDGET UTILIZATION STATEMENT PROGRAMMEWISE
FROM 1ST January to 30TH June-2019

| Sr no | programmes | Expenses from 1 st January to 30 th June 2019 Amount .Rs. Lakhs |
|-------|--|---|
| | CSR ACTIVITIES FOR JULY TO DECEMBER 2018 | |
| (I) | HEALTH & Sanitation | 141.09 |
| (II) | EDUCATION | 60.65 |
| (III) | LIVELYHOOD-WOMEN EMPOWERMENT THROUGHSELF HELP | 13.20 |
| (IV) | Village Infrastructure Development | 101.36 |
| (V) | RESOURCE CENTRE FOR TRAINING | 10.34 |
| | TOTAL | 326.64 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |




AGM (Mines)



GUJARAT INDUSTRIES POWER COMPANY LIMITED

(SURAT LIGNITE POWER PLANT)

At. Nani Naroli, Ta. Mangrol, Dist. Surat - 394 112

Phone : EPABX (02629) 261063 to 261072 Fax : (02629) 261080 E-mail : genslpp@gipcl.com
Through Courier

SLPP/Vastan Mines/Environment Return/2019/2519

Date - 07.08.2019

To,
The Regional Officer,
Gujarat Pollution Control Board,
338, Belgium square,
Opp. Linear Bus Stand, Surat.

Sub :- MOEF's EC compliance & other compliance reports with respect to Vastan Lime Stone Mine, GIPCL, Vastan Village, Taluka - Mangrol, District - Surat, Gujarat for the period from January 2019 to June 2019
Ref :- Environmental Clearance accorded vide letter no F No. J - 11015/112/2011-IA.II (M) date 22nd July'2015

Dear Sir,

Please find enclosed herewith following details With respect to Vastan Lime Stone Mine, Vastan Village, Mangrol Taluka, Surat District, Gujarat for the period **January'2019 to June'2019**

- (1) Environment Clearance (EC) compliance report.
- (2) Data sheet Part-I, Six monthly report monitoring of the implementation of Env. Safeguard
- (3) Environmental Monitoring and analysis report (Half yearly report)
- (4) Peizometer Reading for the period January'2019 to June'2019

This is for your kind information.

Thanking you,

For Gujarat Industries Power Co. Ltd.


N K CHAUHAN
AGM (mines)

Encl :-

1. EC compliance report for the period from Jan 2019 to June 2019 as **ANNEXURE- A** with enclosure **ANNEXURE - A(I) , ANNEXURE -A(II) & ANNEXURE - A(III)**
2. Six monthly report Monitoring of the implementation of Env. Safeguard (Data Sheet Part - I). as **Annexure - B with enclosure ANNEXURE - I & ANNEXURE - II**
3. Environmental Monitoring and analysis Report for period January' 2019 to June' 2019. **ANNEXURE - C**
4. Peizometer Reading for the period January'2019 to June'2019 **ANNEXURE-D**

Registered Office & Vadodara Plant :
P.O.Petrochemical, Dist. Vadodara 391 346 Gujarat - INDIA



Phone : EPABX (0265) 2230182 / 2230028 / 2232768
Fax : 2230029 **E-mail :** genbaroda@gipcl.com

Website : www.gipcl.com
CIN No.: L99999GJ1985PLC007868



GUJARAT INDUSTRIES POWER COMPANY LIMITED

(SURAT LIGNITE POWER PLANT)

At. Nani Naroli, Ta. Mangrol, Dist. Surat - 394 112

Phone : EPABX (02629) 261063 to 261072 Fax : (02629) 261080 E-mail : genslpp@gipcl.com
Through Courier

SLPP/Vastan Mines/Environment Return/2019/2519

Date 07.08.2019

To,
The Additional Principal Chief Conservator of Forests (C),
Ministry of Environment, Forest and Climate Change,
Regional Office (WZ), E-5, Kendriya Paryavaran Bhawan,
E-5 Arera Colony, Link Road-3, Ravishankar Nagar, Bhopal – 462016
Email: rowz.bpl-mef@nic.in

Sub.:- MOEF's EC compliance & other compliance reports with respect to Vastan Lime Stone Mine, GIPCL, Vastan Village, Taluka - Mangrol, District - Surat, Gujarat for the period from January'2019 to June'2019

Ref.:- Environmental Clearance accorded vide letter no F No. J – 11015/112/2011-IA.II (M) date 22nd July'2015

Dear Sir,

Please find enclosed herewith following details With respect to GIPCL's Vastan Lime Stone Mine, Vastan - Village, Taluka - Mangrol, District - Surat, State - Gujarat for the period from **January 2019 to June 2019**.

- (1) Environment Clearance (EC) compliance report.
- (2) Data sheet Part-I, Six monthly report monitoring of the implementation of Env. Safeguard
- (3) Environmental Monitoring and analysis report (Half yearly report)
- (4) Peizometer Reading for the period January'2019 to June'2019.

This is for your kind information.

Thanking you,

For Gujarat Industries Power Co. Ltd.


N K CHAUDHARI
AGM (mines)

Encl.:-

1. EC compliance report for the period from Jan 2019 to June 2019 as **ANNEXURE- A** with enclosure **ANNEXURE - A(I) , ANNEXURE -A(II) & ANNEXURE - A(III)**
2. Six monthly report Monitoring of the implementation of Env. Safeguard (Data Sheet Part – I). as **Annexure – B with enclosure ANNEXURE - I & ANNEXURE - II**
3. Environmental Monitoring and analysis Report for period January' 2019 to June' 2019. **ANNEXURE – C**
4. Peizometer Reading for the period January'2019 to June'2019 **ANNEXURE-D**

cc :- **The Regional Officer, R.O. Surat,**
Gujarat Pollution Control Board,
338, Belgium square, Opp. Linear Bus Stand, Surat.

Registered Office & Vadodara Plant :
P.O.Petrochemical, Dist. Vadodara 391 346 Gujarat - INDIA

Phone : EPABX (0265) 2230182 / 2230028 / 2232768
Fax : 2230029 **E-mail :** genbaroda@gipcl.com

Website : www.gipcl.com
CIN No.: L99999GJ1985PLC007868

ANNEXURE – B

**MONITORING THE IMPLEMENTATION OF ENVIRONMENTAL SAFEGUARDS
MINISTRY OF ENVIRONMENT AND FOREST CLIMATE CHANGE
REGIONAL OFFICE (W), BHOPAL
MONITORING REPORT
PART – I
DATA SHEET**

| | | |
|------|---|---|
| S.N. | | |
| 1 | Project type: River/valley/Mining/Industry/thermal/ nuclear/other /specify | : Mining |
| 2 | Name of the project | : Vastan Limestone Mine (part of Vastan Lignite Mine) |
| 3 | Clearance letter (s) OM no. and date | : F.No. J-11-15/112/2011-IA. II (M) dated 22 nd July 2015 |
| 4 | a) District | : Surat |
| | b) State | : Gujarat |
| | c) Latitude/Longitude | : Latitude- 21 ^o 22' 43.61" to 21 ^o 24' 19.03" Longitude: 73 ^o 04' 23.93" to 73 ^o 05' 06.37" |
| 5 | Address for correspondence | |
| | a) Address of concerned Project Chief with pin code and Telephone/Telex/Fax No. | : Sri N.K.Chauhan AGM (Mines) Vastan Lignite Opencast Mine Surat Lignite Power Plant Village: Nani Naroli, Tal: Mangrol, Dist.: Surat – 394 110 Phone: (M) 9909925341 Fax: 02629-261080 |
| | b) Address of concerned Engineer with pin code and telephone/Telex/Fax No. | : Shri Madhu Ranjan Choudhary, Manager (Mines) Vastan Limestone Mine Surat Lignite Power Plant Village: Nani Naroli, Taluka: Mangrol, Dist.: Surat – 394 110. Phone –(M) 9099045784 |
| 6 | Salient Features of | |
| | a) the project | : This mining project is linked to Surat Lignite Power Plant under the same management to supply lignite as fuel for captive 4 X 125 MW Power Plant. |
| | b) Environmental Management Plan | : Greenbelt developments on <u>508.59 Hectares</u> of mining lease area comprising of <u>850700</u> no trees have been developed till June- 2019 . Plantation of Waste dump: Plantation activity on plane & sloping surface of the waste dump was carried out since the beginning of the mining activities. This was planned for dump stability & also to curb the run-off of loose soil from the external Overburden Dumps. Plantation of on reclaimed area is being done. A brief endeavor of the work done is given in Annexure – I . |
| | b) Environmental Management Plan | : Environmental monitoring for SPM, NOx, SOx, CO emission are being carried out as per the condition of Environmental Clearance vide letter no. O. /M letter F.No. J-11-15/112/2011-IA. II (M) dated 22 nd July 2015. The detail environmental monitoring report (i.e. from Jan.-19 to June-19) is enclosed herewith as Annexure – C . |

| | | |
|----|--|--|
| 7 | <p>Breakup of the project area</p> <p>a) Submergence area: Forest & Non forest</p> <p>b) Others</p> | <p>: There is no forest land in and around of this project. Total lease area of 80 Hectare will be used for mining activity.</p> |
| 8 | <p>Break up of project affected population with enumeration of those losing houses/dwelling units only, agriculture land only, both dwelling unit and agricultural land.</p> <p>a) Scheduled Cast</p> <p>b) Scheduled Tribe</p> <p>c) Others</p> <p>Please indicate whether these figures are based on any systematic survey carried out or only provisional figures. If any survey is carried out give details and year of survey.</p> | <p>: The most of the mining lease land was previously used for agricultural purpose. There were no dwelling units/ houses previously existing in such area.</p> <p>Following population lost only their agricultural land.</p> <p>: 5 nos</p> <p>: 102 nos</p> <p>: 400 nos</p> <p>These figures are based on systematic survey carried out in the year December, 1997.</p> |
| 9 | <p>Financial Details</p> <p>a) Project cost as originally planned and subsequent revised estimates and the year of price reference.</p> <p>b) Allocation made of environmental Management Plan with item wise & year wise break up.</p> <p>c) Benefit cost ratio/internal rate of return and the year of assessment.</p> <p>d) Whether (c) includes the cost environment management as shown in the above.</p> <p>e) Actual Expenditure incurred so far on the project.</p> <p>f) Actual expenditure incurred on EMP so far (till June. 2019).</p> | <p>: Project cost is 300 Crores based on price reference of the year 1997.</p> <p>: The details are provided in Annexure –(B) II with this data sheet.</p> <p>: Rate of return on Investment is 27.20 % for assessment year 2018-19</p> <p>: Yes</p> <p>: 244.87 Crores.</p> <p>: 1948.05 Lakhs for Green belt development, Dump plantation, preparation of silting ponds, Environmental Monitoring instruments studies.</p> |
| 10 | <p>Forest Land requirement</p> <p>a) The status of approval for diversion of forestland for non-forestry use.</p> <p>b) The Status of clear felling</p> <p>c) The status of compensatory afforestation, if any</p> <p>d) Comments on viability and sustainability of compensatory afforestation program in the light of actual field experience so far.</p> | <p>: NA</p> <p>: NA</p> <p>: NA</p> <p>: NA</p> |
| 11 | <p>The experience of clear felling in non forest area (Such as submergence area of reservoir, approach road) if any with quantitative information.</p> | <p>: Area where active mining work is in progress contains no such vegetation and there are no such cases of clear felling.</p> |

| | | | |
|----|---|---|--|
| 12 | Status of construction a) Date of commencement (actual or planned) b) Date of completion (Actual/Planned) | : | 31.05.1996 (Actual) Project is planned for 30 years. |
| 13 | Reason for delay if the project is yet to start | : | NA |
| 14 | Dates of site visits a) The dates on which the project was monitored by Regional Office on previous occasion if any, b) Dates of site visit for this monitoring | : | 26.03.2007 29.11.2014 29.11.14 by Dr. Ajay Mehrotra, Regional Director (S), Regional Office, Western Region. Bhopal, MP |
| 15 | The monitoring report may contain the details of all the letters issued so far (vide the letters as mentioned) | : | F.No. J-11-15/112/2011-IA. II (M) dated 22 nd July 2015 |


 N.K. Chauhan
 AGM (Mines)

Annexure – I

PLANTATION ACTIVITY FROM 1997 to June 2019

| S. No. | Year | Code | Location | Area (Ha) | No. of trees | |
|--|---------------------|----------------|--|------------------|---------------|---------------|
| (A) Peripheral green belt development | | | | | | |
| 1 | 1997 | GBD-A | Lease boundary (Village-Vastan, Jhakharda & Shah) | 33 | 50,967 | |
| 2 | 1998 | GBD-B | Lease boundary (Village-Vastan & Surali) | 21 | 37,290 | |
| 3 | 1999 | GBD-C | Lease boundary (Vastan & Shah) | 12 | 21,017 | |
| 4 | 2000 | GBD-D | Lease boundary (Village- Shah & Cheraetha) | 3.5 | 56,000 | |
| 5 | 2001 | -- | Near Vastan village | 04 | 6,000 | |
| 6 | 2002 | GBD-J | Lease boundary (Village- Cheretha)) | 20 | 31,368 | |
| 7 | 2003 | GBD-K | Lease boundary (Village- Surali, Naugama & Tadkeshwar) | 34 | 51,000 | |
| 8 | 2004 | GBD-L | Lease boundary (village-Vastan & Surali) | 12 | 30,000 | |
| 9 | 2005 | GBD-M | Along Limestone road, & Vastan village) | 16 | 26,550 | |
| 10 | 2006 | Jetropha | Lease boundary-Vastan & Surali) | 05 | 13,500 | |
| 11 | 2008 | GBD-N | Lease boundary of South Pit | 20 | 32,000 | |
| 12 | 2009 | GBD-O | Lease boundary of South Pit | 20 | 32,000 | |
| 13 | 2011 | GBD-Q | Lease boundary of South Pit near Surali Village | 8 | 12,800 | |
| 14 | 2012 | GBD-R | South and North pit periphery area | 19.5 | 25,100 | |
| 15 | 2013 | GBD-S | Lease boundary of Vastan Mines | 13.5 | 16700 | |
| 16 | 2014 | GBD-T | Lease boundary of Vastan Mines | 3 | 4800 | |
| 17 | 2015 | GBD-U | - | - | - | |
| 18 | 2016 | Forest species | Lease boundary near north side of Limestone Pit | 2 | 3800 | |
| 19 | 2017 | Forest species | South pit in west side of BC Dump | 2.38 | 3300 | |
| 20 | 2018 | Forest species | South pit in west side of BC Dump as a gap filling | 0.84 | 1355 | |
| 21 | 2019 (Jan. to June) | --- | ---- | ---- | ---- | |
| | | | | Total (A) | 249.72 | 455547 |
| (B) Dump Plantation | | | | | | |
| 1 | 1999 | --- | External dump | 2.5 | 7500 | |
| 2 | 2001 | -- | External dump | 04 | 12,000 | |
| 3 | 2005 | -- | External dump | 02 | 3887 | |
| 4 | 2006 | -- | External dump | 42 | 42,549 | |
| 5 | 2007 | -- | External dump | 30 | 38,027 | |
| 6 | 2010 | --- | External dump | 5 | 8,000 | |
| 7 | 2011 | | External dump near ELHS | 8 | 12800 | |
| 8 | 2012 | flower plant | External dump | 0.5 | 1052 | |
| 9 | 2013 | -- | -- | -- | -- | |
| 10 | 2014 | - | - | - | - | |
| 11 | 2015 | - | - | - | - | |
| 12 | 2016 | - | - | - | - | |
| 13 | 2017 | - | - | - | - | |
| 14 | 2018 | - | - | - | - | |
| 15 | 2019 (Jan. to June) | --- | ---- | ---- | ---- | |
| | | | | Total (B) | 94 | 125815 |

| (C) Reclaimed Area Plantation | | | | | |
|--------------------------------------|------------------------|--|--|------------------------------|------------------|
| 1 | 2007 | Jetropha | -- | 04 | 11,136 |
| 2 | 2008 | Jetropha | -- | 05 | 13,504 |
| 3 | 2009 | Bamboo Plantation | | 25 | 32000 |
| 4 | 2009 | Junglee Variety | | 5 | 5000 |
| 5 | 2011 | Junglee Variety | | 12 | 19200 |
| 6 | 2012 | Junglee Variety | | 20 | 32000 |
| 7 | 2013 | Forest Species | -- | 22 | 33000 |
| 7 | 2014 | Forest Species | - | 15 | 26500 |
| 8 | 2015 | Forest Species | - | 12.4 | 18600 |
| 9 | 2016 | Forest Species | | 12.27 | 18400 |
| 10 | 2017 | - | - | - | - |
| 11 | 2018 | Bengali babul & Gulmohar | South-pit North-West side reclaimed area | 1.74 | 2815 |
| 12 | 2019 (Jan. to June) | --- | --- | --- | --- |
| | | | | Total (C) | 134.41 |
| | | | | | 212155 |
| (D) Other plantation activity | | | | | |
| 1 | 2000 | -- | Mines road | 02 | 3100 |
| 2 | 2000 | GBD-F | Ambawadi (Near DEEP nursery) | 0.5 | 290 |
| 3 | 2000 | GBD-H | Near Demo Shed | 03 | 13,200 |
| 4 | 2001 | -- | Mines road | 1.6 | 2500 |
| 5 | 2005 | -- | Mines road | 03 | 400 |
| 6 | 2007 | Bamboo plantation | Near DEEP farm house | 05 | 8000 |
| 7 | 2011 | General Plantation | Near & at ELHS | 2 | 3200 |
| 8 | 2012 | | Near & at ELHS | 4 | 9600 |
| 9 | 2013 | General Plantation | Near Limestone pit . | 1 | 1200 |
| 10 | 2014 | - | -- | - | - |
| 11 | 2015 | Forest Species | Near Limestone Crusher | 2.67 | 8000 |
| 12 | 2016 | Forest Species | Near East side of Limestone Pit | 2.73 | 4100 |
| | | Mango trees | Near Vastan site Office | 0.3 | 50 |
| 13 | 2017 | - | - | - | - |
| 14 | 2018 | Mango & Jamun trees , Kasid, Bengali babul, Peltro, Neem, Gulmohar etc | Near Vastan site Office & GVTC, Near Lime Stone crusher area | 2.66 | 3543 |
| 15 | 2019 (Jan. to June) | Mango (Kesar), Lemon & Amrud kalam | Near Vastan site Office gap filling of o.3 Ha area | --- | 50 |
| | | | | Total (D) | 30.46 |
| | | | | GRAND TOTAL (A+B+C+D) | 508.59 |
| | | | | | 8,50, 700 |
| (E) Seed Spraying | | | | | |

| | | | | | |
|----|---------------------|--------|---------------------------------------|------------|-----------------|
| 1 | 1998 | Dump-A | External dump | 05 | 3000 Kg |
| 2 | 1999 | Dump-B | External dump | 05 | 300 Kg |
| 3 | 2000 | Dump-C | External dump | 28 | 790 Kg |
| 4 | 2001 | Dump-D | External dump | 124 | 5760 Kg |
| 5 | 2003 | Dump-E | External dump | 54 | 1620 Kg |
| 6 | 2011 | Dump-F | External dump, Bund near ELHS road | 8 | 450 Kg |
| 7 | 2012 | Dump-G | Vastan Mines Cheretha Site | 6 | 120 Kg |
| 8 | 2013 | | Western side edge of Vastan north Pit | 2 | 100kg |
| 9 | 2014 | - | - | - | - |
| 10 | 2015 | | | - | - |
| 17 | 2016 | | Reclaimed area | 5 | 62 KG |
| 18 | 2017 | - | - | - | - |
| 19 | 2018 | - | - | - | - |
| 20 | 2019 (Jan. to June) | --- | ---- | ---- | ---- |
| | | | Total (E) | 237 | 12202 Kg |

(F) Seed spraying by Mining Contractors

| | | | | | |
|----|---------------------|-----|----------------------------------|------|-----------------|
| 1 | 1999 | | | | 2150 Kg |
| 2 | 2000 | | | | 550 Kg |
| 3 | 2001 | | | | 5760 Kg |
| 4 | 2002 | | | | 2600 Kg |
| 5 | 2003 | | | | 280 Kg |
| 6 | 2004 | | | | 525 Kg |
| 7 | 2005 | | | | 1000 Kg |
| 8 | 2007 | | | | 1000 Kg |
| 9 | 2008 | | External Dump | | 1000 Kg |
| 10 | 2009 | | External Dump | | 1000 Kg |
| 11 | 2010 | | Bund of Garland drains | | 400 Kg |
| 12 | 2011 | | Bund of Garland drains | | 400 Kg |
| 13 | 2012 | | -- | | NIL |
| 14 | 2013 | | -- | | NIL |
| 15 | 2014 | | - | | NIL |
| 16 | 2015 | | - | | NIL |
| 17 | 2016 | | - | | NIL |
| 18 | 2017 | | South pit west side near BC bund | | 50Kg |
| 19 | 2018 | - | - | - | - |
| 20 | 2019 (Jan. to June) | --- | ---- | ---- | ---- |
| | | | Total (F) | | 16715 Kg |


N.K. Chauhan
AGM (Mines)

Annexure -- II
Sub: Expenditure made for the Environmental Management Plan with item wise & year wise break-up. (All figures are in Lac Rs.)

| Year → | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 (up to June) |
|---|-----------------------|--------|--------|--------|---------|---------|---------|---------|---------|-------------------|
| Item | | | | | | | | | | |
| Particulars of the activities | | | | | | | | | | |
| Development & maintenance of Plantation (Greenbelt, Reclaimed area and other) | 4.91 | 26.93 | 40.52 | 113.70 | 71.50 | 94.19 | 33.65 | 12.68 | 1.03 | 0.05 |
| | | | | | | | | | | |
| Greenbelt Development along lease boundary, along Haul road & plantation on reclaimed area in mining premises. 1) New plantation by MDO at peripheral green belt development & maintenance. 2) At peripheral green belt development and maintenance. 3) After preparatory work done at reclaimed area, plantation was done. 4) Preparation of land for plantation | | | | | | | | | | |
| Dump plantation development and plantation cost | 6.02 | 4.38 | 8.29 | 6.094 | 0.13 | 0.10 | 0.03 | - | - | - |
| Preparation of settling pond | ----- | 1.24 | 1.08 | 0.30 | 0.63 | 0.57 | 0.30 | 0.30 | 0.30 | 2.48 |
| Monitoring of Environmental parameters viz. Air quality (SPM, SOx, NOx, CO), Water quality (Physical, Chemical & Biological tests), Noise survey & Dust fall measurement in villages peripheral to the mining lease area & Micro meteorological monitoring of the season/quarter. | 1.08 | 0.72 | 0.87 | 1.39 | 1.85 | 2.31 | 2.40 | 2.44 | 1.85 | 0.45 |
| Dust suppression measures in mines | 80.00 | 73.00 | 112.99 | 105.47 | 137.28 | 135.02 | 89.71 | 121.89 | 132.2 | 65.04 |
| Remote sensing | ---- | ----- | 1.90 | 2.00 | - | 1.99 | - | - | 3.25 | -- |
| Total Amount | 92.01 | 106.28 | 165.65 | 228.95 | 211.39 | 234.18 | 126.09 | 137.31 | 138.63 | 68.02 |
| Cum. Total Amount | 532.64 (1997 to 2010) | 638.92 | 803.85 | 1032.8 | 1244.10 | 1478.28 | 1604.37 | 1741.68 | 1880.31 | 1948.33 |


N.K. Chauhan
AGM (Mines)

Peizometer
Reading
at
Vastan Limestone Mine,
GIPCL
(Period Jan 2019 to June 2019)

| Peizometer Reading Installed at Vastan Mine of GIPCL | | | | | |
|---|------------------|--------------------------------|------------------------------|-------------------------------|-----------------------------|
| Vastan Limestone Mine Logger ID: B10 (January 2019 to June 2019) | | | | | |
| DATALOGG ER ID | DATE/TIME | BATTERY VOLTAGE (V) | WATER LEVEL (mWC) | TEMPERATURE (degC) | BAROMETRIC (hPa) |
| B010 | 17-01-2019 12:00 | 3.13 | 7.47E+01 | 30.1 | 1009.7 |
| B010 | 19-01-2019 12:00 | 3.13 | 7.47E+01 | 30.2 | 1010.1 |
| B010 | 21-01-2019 12:00 | 3.13 | 7.48E+01 | -99.9 | 1008.5 |
| B010 | 23-01-2019 12:00 | 3.13 | 7.47E+01 | 72.6 | 1010.5 |
| B010 | 25-01-2019 12:00 | 3.13 | 7.47E+01 | -99.9 | 1011.6 |
| B010 | 27-01-2019 12:00 | 3.13 | 7.47E+01 | -99.9 | 1014.8 |
| B010 | 29-01-2019 12:00 | 3.13 | 7.47E+01 | -99.9 | 1014.3 |
| B010 | 31-01-2019 12:00 | 3.13 | 7.47E+01 | 30.2 | 1009.9 |
| B010 | 02-02-2019 12:00 | 3.13 | 7.47E+01 | 30.2 | 1009.6 |
| B010 | 04-02-2019 12:00 | 3.13 | 7.47E+01 | 30.2 | 1011.7 |
| B010 | 06-02-2019 12:00 | 3.13 | 7.48E+01 | 30.7 | 1008.5 |
| B010 | 08-02-2019 12:00 | 3.13 | 7.47E+01 | 30.2 | 1013.3 |
| B010 | 10-02-2019 12:00 | 3.13 | 7.47E+01 | 30.2 | 1011.9 |
| B010 | 12-02-2019 12:00 | 3.12 | 7.47E+01 | -99.9 | 1010.6 |
| B010 | 14-02-2019 12:00 | 3.12 | 7.47E+01 | -99.9 | 1010 |
| B010 | 16-02-2019 12:00 | 3.12 | 7.47E+01 | -99.9 | 1011.1 |
| B010 | 18-02-2019 12:00 | 3.12 | 7.48E+01 | -99.9 | 1007.3 |
| B010 | 20-02-2019 12:00 | 3.11 | 7.48E+01 | -99.9 | 1007.7 |
| B010 | 22-02-2019 12:00 | 3.11 | 7.47E+01 | -99.9 | 1011 |
| B010 | 24-02-2019 12:00 | 3.11 | 7.48E+01 | -99.9 | 1007.2 |
| B010 | 26-02-2019 12:00 | 3.11 | 7.48E+01 | -99.9 | 1005.9 |
| B010 | 28-02-2019 12:00 | 3.11 | 7.48E+01 | 49.4 | 1008.3 |
| B010 | 02-03-2019 12:00 | 3.11 | 7.48E+01 | 39.1 | 1004.2 |
| B010 | 04-03-2019 12:00 | 3.11 | 7.48E+01 | 30.3 | 1006.5 |
| B010 | 06-03-2019 12:00 | 3.11 | 7.48E+01 | 30.2 | 1007.5 |
| B010 | 08-03-2019 12:00 | 3.11 | 7.47E+01 | 30.3 | 1008.8 |
| B010 | 10-03-2019 12:00 | 3.10 | 7.48E+01 | -99.9 | 1008 |
| B010 | 12-03-2019 12:00 | 3.10 | 7.47E+01 | 30.2 | 1010 |
| B010 | 14-03-2019 12:00 | 3.10 | 7.47E+01 | -99.9 | 1010.8 |
| B010 | 16-03-2019 12:00 | 3.10 | 7.48E+01 | 30.3 | 1008 |
| B010 | 18-03-2019 12:00 | 3.10 | 7.48E+01 | -99.9 | 1007.8 |
| B010 | 20-03-2019 12:00 | 3.10 | 7.48E+01 | -99.9 | 1005.5 |
| B010 | 22-03-2019 12:00 | 3.10 | 7.47E+01 | -99.9 | 1009.4 |
| B010 | 24-03-2019 12:00 | 3.09 | 7.48E+01 | -99.9 | 1007.2 |
| B010 | 26-03-2019 12:00 | 3.09 | 7.48E+01 | -99.9 | 1006.8 |
| B010 | 28-03-2019 12:00 | 3.09 | 7.48E+01 | -99.9 | 1007.5 |
| B010 | 30-03-2019 12:00 | 3.09 | 7.48E+01 | -99.9 | 1004.9 |
| B010 | 01-04-2019 12:00 | 3.09 | 7.48E+01 | -99.9 | 1005.6 |
| B010 | 03-04-2019 12:00 | 3.09 | 7.48E+01 | -99.9 | 1004.5 |
| B010 | 05-04-2019 12:00 | 3.09 | 7.48E+01 | -99.9 | 1007.2 |

| DATALOGG ER ID | DATE/TIME | BATTERY VOLTAGE (V) | WATER LEVEL (mWC) | TEMPERATURE (degC) | BAROMETRIC (hPa) |
|-------------------|------------------|------------------------|----------------------|-----------------------|---------------------|
| B010 | 07-04-2019 12:00 | 3.09 | 7.48E+01 | -99.9 | 1004.7 |
| B010 | 09-04-2019 12:00 | 3.09 | 7.48E+01 | 30.4 | 1004.6 |
| B010 | 11-04-2019 12:00 | 3.08 | 7.48E+01 | -99.9 | 1004.8 |
| B010 | 13-04-2019 12:00 | 3.09 | 7.48E+01 | 30.1 | 1005 |
| B010 | 15-04-2019 12:00 | 3.09 | 7.48E+01 | -99.9 | 1004.3 |
| B010 | 17-04-2019 12:00 | 3.09 | 7.48E+01 | -99.9 | 1006.8 |
| B010 | 19-04-2019 12:00 | 3.08 | 7.48E+01 | -99.9 | 1004 |
| B010 | 21-04-2019 12:00 | 3.09 | 7.48E+01 | -99.9 | 1002.4 |
| B010 | 23-04-2019 12:00 | 3.09 | 7.48E+01 | -99.9 | 1004 |
| B010 | 25-04-2019 12:00 | 3.08 | 7.48E+01 | -99.9 | 1005.3 |
| B010 | 27-04-2019 12:00 | 3.08 | 7.48E+01 | -99.9 | 1002.1 |
| B010 | 29-04-2019 12:00 | 3.08 | 7.48E+01 | -99.9 | 1002.4 |
| B010 | 01-05-2019 12:00 | 3.09 | 7.48E+01 | -99.9 | 1000.8 |
| B010 | 03-05-2019 12:00 | 3.08 | 7.48E+01 | -99.9 | 1002.2 |
| B010 | 05-05-2019 12:00 | 3.08 | 7.48E+01 | -99.9 | 1007 |
| B010 | 07-05-2019 12:00 | 3.08 | 7.48E+01 | -99.9 | 1003.6 |
| B010 | 09-05-2019 12:00 | 3.08 | 7.48E+01 | -99.9 | 1004 |
| B010 | 11-05-2019 12:00 | 3.08 | 7.48E+01 | -99.9 | 1004.8 |
| B010 | 13-05-2019 12:00 | 3.08 | 7.48E+01 | -99.9 | 1002.9 |
| B010 | 15-05-2019 12:00 | 3.08 | 7.48E+01 | -99.9 | 1004.3 |
| B010 | 17-05-2019 12:00 | 3.08 | 7.48E+01 | -99.9 | 1005.4 |
| B010 | 19-05-2019 12:00 | 3.08 | 7.48E+01 | -99.9 | 1004.1 |
| B010 | 21-05-2019 12:00 | 3.08 | 7.48E+01 | -99.9 | 1003.2 |
| B010 | 23-05-2019 12:00 | 3.08 | 7.48E+01 | -99.9 | 1001.9 |
| B010 | 25-05-2019 12:00 | 3.08 | 7.48E+01 | -99.9 | 1002.5 |
| B010 | 27-05-2019 12:00 | 3.08 | 7.48E+01 | 98.6 | 1001.6 |
| B010 | 29-05-2019 12:00 | 3.07 | 7.48E+01 | -99.9 | 1000.1 |
| B010 | 31-05-2019 12:00 | 3.08 | 7.48E+01 | -99.9 | 1000 |
| B010 | 02-06-2019 12:00 | 3.08 | 7.48E+01 | -99.9 | 1001.1 |
| B010 | 04-06-2019 12:00 | 3.08 | 7.48E+01 | 30.3 | 1001 |
| B010 | 06-06-2019 12:00 | 3.07 | 7.48E+01 | 30.3 | 1000.3 |
| B010 | 08-06-2019 12:00 | 3.07 | 7.48E+01 | -99.9 | 1001.1 |
| B010 | 10-06-2019 12:00 | 3.07 | 7.49E+01 | -99.9 | 997.7 |
| B010 | 12-06-2019 12:00 | 3.07 | 7.49E+01 | -99.9 | 994.6 |
| B010 | 14-06-2019 12:00 | 3.07 | 7.49E+01 | -99.9 | 996.6 |
| B010 | 16-06-2019 12:00 | 3.07 | 7.48E+01 | -99.9 | 1000.2 |
| B010 | 18-06-2019 12:00 | 3.07 | 7.49E+01 | -99.9 | 997.8 |
| B010 | 20-06-2019 12:00 | 3.07 | 7.48E+01 | 30.3 | 999.8 |
| B010 | 22-06-2019 12:00 | 3.07 | 7.49E+01 | -99.9 | 998.6 |
| B010 | 24-06-2019 12:00 | 3.07 | 7.48E+01 | -99.9 | 999.7 |
| B010 | 26-06-2019 12:00 | 3.07 | 7.48E+01 | 30.4 | 999.3 |
| B010 | 28-06-2019 12:00 | 3.07 | 7.49E+01 | 30.4 | 997.3 |
| B010 | 30-06-2019 12:00 | 3.07 | 7.49E+01 | -99.9 | 997.1 |
| B010 | 02-07-2019 12:00 | 3.07 | 7.49E+01 | -99.9 | 997.1 |